

## DYE ACTIVATOR

For use with Procion or Drimarene Reactive Dyes

Dissolve 100gms Dye Activator in 1Ltr of warm/hot water. Stir until all the powder is dissolved. If you are using this on cotton you will need to add 10gms (2teas) Soda Ash to the solution.

Mix Dye Activator solution with dyes and apply with a brush or squeeze bottle.

For strong colours use 5gms of dye (3 teas) in 100mls of Activator solution or 15gms in 250mls of Activator solution. For Blacks use twice as much dye

Wrap in plastic and allow to air fix for 12-24 hours or steam for 40mins.

A small amount of Dynazol Washoff added to your dye solutions will improve dye solubility. Dynazol Washoff is also excellent for rinsing off unfixed dye after you have finished the dyeing process.

Wash clothes separately for the first few washes.

SAFETY DIRECTIONS: DYES AND CHEMICALS - AVOID INGESTION, INHALATION, EYE & SKIN CONTACT. KEEP OUT OF REACH OF CHILDREN. If swallowed DO NOT induce vomiting. Rinse mouth with of water, give plenty of milk or water, Seek Medical Advice. This class of dye generally has LOW ORAL TOXICITY, but some colours may cause respiratory and/or skin sensitisation/irritation, always handle with care.